ഡാക്ടർ എ. ആർ. മേനോൻ: ചില സ്ഥലങ്ങളിൽ കുറച്ചു അസൌകര്യമുണ്ട്. എല്ലായിടത്തും കോളനിക്കു പറ്റിയ സ്ഥലം കിട്ടുവാൻ വളരെ ബുദ്ധിമുട്ടുണ്ട്.

മിസ്റ്റർ കെ. ആർ. വിശ്വംഭരൻ: പതിച്ചുകൊടുക്കുവാൻ സൌകര്യമുള്ള പുറമ്പോക്കു സ്ഥലങ്ങളിലേക്കു അയൽക്കുതരെ മാറിത്താമസിപ്പിച്ചതുകൊണ്ടു അവർക്കു തൊഴിലന്വേഷിച്ചു വളരെ അകലെ പോകേണ്ടിവരുന്നതുകൊണ്ടാണ്. ഈ കോളനി സമ്പ്രദായം പരാജയത്തിൽ വരുന്നതു് എന്നു് ബഹുമാനപ്പെട്ട ശവമ്മെൻറിനറിയാമൊ?

ഡാക്ടർ എ. ആർ. മേനോൻ: പരാജയത്തിനു പലസംഗതികളുമുണ്ടു്. ഒന്നു് ഇതാണു്.

മിസ്റ്റർ കെ. ആർ. വിശ്വംഭരൻ: സൌകര്യമുള്ള സ്ഥലങ്ങൾ അകപ്പയർ ചെയ്യുന്നകാര്യത്തിൽ ഇനി ശവമ്മെൻറിന്റെ ദൃഷ്ടി പതിയുമോ?

ഡാക്ടർ എ. ആർ. മേനോൻ: സൌകര്യമുണ്ടോ ഇല്ലയൊ എന്നുള്ളകാര്യം റവന്യൂ ഡിപ്പാർട്ടുമെണ്ടുകാരോടുംകൂടി ചോദിച്ചാണു ചെയ്യുന്നതു്. അതുകൊണ്ടു" എനിക്കു് ഇതിൽ ഡെഫിനിറ്റായിട്ടു പറയാൻ സാദ്ധ്യമല്ല.

മിസ്റ്റർ വി. കെ. കുട്ടി: ഈ അകപ്പിസിഷനുള്ള പണംകൊടുക്കുന്നതു സംരക്ഷണവകുപ്പിലുള്ള പണത്തിൽനിന്നല്ലെ?

ഡാക്ടർ എ. ആർ. മേനോൻ: അതെ.

മിസ്റ്റർ കെ. ആർ. വിശ്വംഭരൻ: നല്ല കോളനികളെല്ലാം ഇങ്ങിനെ ശരിക്കുനോക്കി അകപ്പയർചെയ്തിട്ടുള്ള കോളനികളാണെന്നു ശവമ്മെൻറിനറിയാമൊ?

ഡാക്ടർ എ. ആർ. മേനോൻ: നോക്കിയിട്ടുണ്ടൊ ഇല്ലയൊ എന്നുള്ളതു അന്വേഷിച്ചിട്ടെ പറയാൻ സാദ്ധ്യമുള്ളൂ.

മിസ്റ്റർ സി. വി. ഇയ്യു. സ്ഥലംമാത്രം കിട്ടിയാൽ മതി. അതിൽ മെയിൻറനൻസു ചെലവുവേണ്ട എന്നുകാണിച്ചു് അപേക്ഷിച്ചാൽ സ്ഥലംമാത്രം കൊടുക്കുമൊ?

ഡാക്ടർ എ. ആർ. മേനോൻ: അതിനെപ്പറ്റി ആലോചിക്കാം.

## KUNNAMKULAM WATER SUPPLY SCHEME— INVESTIGATIONS INTO.

**274. Mr. C. V. Iyyu** (*Kunnamkulam*): Will the Government be pleased to lay on the Council table:—

(*a*) the Water Supply Scheme proposed by Diwan Bahadur V. Verghese who was the Chief Medical and Sanitary Officer for Kunnamkulam town;

(*b*) whether his successor Dr. Raghavendra Rao carried out part of the scheme by digging a tank, by constructing an elevated reservoir, and by constructing bath rooms in the paddy fields in Kunnamkulam town;

(*c*) whether the Government is aware that this has not solved the scarcity of drinking water in Kunnamkulam;

LIBRARY ARCHIVES Kerala Legislative Assembly

(*d*) whether the Government has promised during last budget session to take up the drinking water supply problem in Kunnamkulam town by tapping the possibilities of the existing water works;

(*e*) whether the late Hon'ble Minister visited the water works referred to above during his tour to Kunnamkulam;

(*f*) whether the Government may be pleased to take up the question in earnest and submit a scheme to be brought into effect for developing the present water works by a water supplying scheme?

**Dr. A. R. Menon** (*Minister for Rural Development*):

(*a*) A copy is appended. (*Appendix I.*)

(*b*) The work was carried out by the P. W. D. from funds contributed by the Department of Public Health.

(*c*) The works were designed only to serve the needs of bathing in the town of Kunnamkulam and not as a source of drinking water.

(*d*) The question of selecting a satisfactory source for the supply of water to Kunnamkulam will be investigated.

(*e*) Records are not available.

(*f*) Yes.

## COCOANUT INDUSTRY—PROTECTION OF.

**275. Mr. K. R. Viswambharan** (*Ezhuvas-Talappalli*): Will the Government be pleased to state:—

(*a*) whether they have received any representation from the Cocoanut Growers' Association with regard to the depression in the prices of cocoanuts;

(*b*) if so, what were their demands?

**Dr. A. R. Menon** (*Minister for Rural Development*):

(*a*) Yes.

(*b*) The main demand was for protecting the interests of the cocoanut industry of this State and for placing it on a remunerative basis. There were also references to the necessity for intensive and extensive expansion of production, the development of cocoanut products generally, finding out outside markets for the sale of cocoanuts and cocoanut products, the organization of co-operative marketing societies for the sale of nuts and the opening of a Central Library with works on cocoanut industry. It was also suggested that a cocoanut cess of 6 as. to 12 as. per acre of cocoanut garden may be collected and utilised for the improvement and organization of the cocoanut industry.

LIBRARY ARCHIVES Kerala Legislative Assembly

## APPENDIX I.

*(Please see answer to question No. 274).*

*Chief Medical and Sanitary Officer's report No. C.-4402/1105, dated 5th July 1930.*

"Adverting to the Huzur Endorsement on P. No. 616/1105, dated 6th June 1930, Local and Miscellaneous Department, regarding the construction of a new tank in the Western Bazaar, Kunnamkulam, I have the honour to report that I am not disposed to recommend the grant of the request in its present form, because, in a sanitary point of view, the provision of tanks for bathing purposes becomes eventually a waste of money. In place of a tank, I would propose the construction of a large well fitted with a hand-pump of the same type that is used in the Maternity Hospital, Trichur, and a masonry cemented cistern about eight feet from the ground level with a dozen taps all round and a bathing platform partitioned off, if necessary. Two coolies added to the Sanitary Staff will fill this cistern and the people will always have clean water to bathe.

I venture to suggest this ideal form of bathing facilities because the people are all Christians who are not obsessed by the religious instinct of purification by a dip bath.

The file is returned".

LIBRARY ARCHIVES Kerala Legislative Assembly